



CONVENTION ELECTRIC FLOOR SCREEN

Electrical convention Screen

Innovative self-supporting electric lifting screen (Movement from Floor to ceiling); Ideal for environments where it is not possible to install screen in the ceiling or walls.

The fabric unfolds thanks to strong aluminum mechanical arms and gas pistons together with a powerful and silent electric motor.

The structure has adjustable feet to adjust the level.

Available sizes range from 88 "to 227" in 16:10 format. With and without black borders. Single-phase electric motor (17 rpm) mounted on the left side of the screen, Power Supply 230V-50Hz, 120W, 0.5A, IP44, CE certificate. The screen is supplied fully set to the upper and lower stop.

GENERAL FEATURES

Product	Floor projection screen
Origin	EU
Certificates	CE, RohS, B1
Framer	Made in aluminium
Colour	Black
Type of mounting	self-supporting / Table
Type of projection	Frontal

TECHNICAL FEATURES

Available formats	16:10
Projektion screens Frontal	High-Gain White
Cloth Gain Frontal	1.1
Cloth Thickness	0.4 mm
Cloth Material	PVC

OPTIONAL ACCESSORIES

	Transport Flight-Case *
--	-------------------------

* The flightcase accessory can be ordered with wheels to make easier the transport (not included).





**CONVENTION ELECTRIC
FLOOR SCREEN**

WITHOUT BLACK BORDERS				
Mod	Diagonal (D inches)	Área de Proyección (WxH)	weight (kg)	Length (A cm)
190	88"	190x119	40	220
240	112"	240x150	51	270
290	135"	290x181	63	320
340	158"	340x213	78	370
390	181"	390x244	85	420
440	204"	440x275	94	470
490	227"	490x306	105	520

WITH BLACK BORDERS 5 CM LEFT/RIGHT/UP/DOWN*					
Mod	Diagonal (D inches)	Projection Area (WxH)	Weight (kg)	Length (A cm)	Borders B*
190	88"	190x119	40	240	35
240	112"	240x150	51	270	35
290	135"	290x181	63	320	35
340	158"	340x213	78	370	35
390	181"	390x244	85	420	30
440	204"	440x275	94	470	25

CONVENTION ELECTRIC FLOOR SCREEN

